INDEX TO AUTHORS

AUSTIN, PAUL R. See EVANS, SIMPSON, and AUSTIN, 545, 561

AVERY, OSWALD T., and GOEBEL, WALTHER F. Chemoimmunological studies on the soluble specific substance of pneumococcus. I. The isolation and properties of the acetyl polysaccharide of Pneumococcus Type I, 731

BAKER, LILLIAN E. The cultivation of monocytes in fluid medium, 575

BERRY, G. P. See RIVERS, SPRUNT, and BERRY, 39

BREEDIS, CHARLES. See FURTH, 253

CASTANEDA, M. RUIZ, and ZIA, SAMUEL. The antigenic relationship between Proteus X19 and typhus rickettsiae. A study of the Weil-Felix reaction, 55

CASTLES, RUTH. See MILLER and CASTLES, 435

CLOW, ANNA D. See WEBSTER and CLOW, 465

DAVIS, NELSON C., FROBISHER, MARTIN, JR., and LLOYD, WRAY. The titration of yellow fever virus in stegomyia mosquitoes, 211

DICK, MACDONALD. Concerning the relative response to blood gains and blood losses; and habituation to an excess of blood pigment, 707

DURAN-REYNALS, F. Further studies on the influence of testicle extract upon the effect of toxins, bacteria, and viruses, and on the Shwartzman and Arthus phenomena, 451

—. Studies on a certain spreading factor existing in bacteria and its significance for bacterial invasiveness, 161

ELLSWORTH, READ. See HARROP, SOFFER, ELLSWORTH, and TRESCHER, 17

EVANS, HERBERT M., GUSTUS, EDWIN L., and SIMPSON, MIRIAM E. Concentration of the gonadotropic hormone in pregnant mare's serum, 569

—, SIMPSON, MIRIAM E., and AUSTIN, PAUL R. Further studies on the hypophyseal substance giving increased gonadotropic effects when combined with prolan, 545

—, —, and —. The recognition and comparison of prolan and prolan-like substances, 561

FEEMSTER, ROY F., and WELLS, W. F. Experimental and statistical evidence of the particulate nature of the bacteriophage, 385

FROBISHER, MARTIN, JR. See DAVIS, FROBISHER, and LLOYD, 211

FURTH, J. Lymphomatosis, myelomatosis, and endothelioma of chickens caused by a filtrable agent. I. Transmission experiments, 253

GARNER, R. L. See TILLETT and GARNER, 485
GELARIE, ARNOLD J., and SABIN, ALBERT B. A study of the therapeutic mechanism of antipneumococcic serum on the experimental dermal pneumococcus infection in rabbits. III. The influence of nonspecific factors, 237
GOEBEL, WALTHER F. See AVERY and GOEBEL, 731
GOODNER, KENNETH. The effect of pneumococcus autolysates upon pneumococcus dermal infection in the rabbit, 153
— and STILLMAN, ERNEST G. The evaluation of active resistance to pneumococcus infection in rabbits, 183
—. See STILLMAN and GOODNER, 195
GRAESER, JAMES B., and HARRISON, M. CORNWELL. Changes in the titer of antipneumococcal humoral immunity in adult human beings, 245
GUSTUS, EDWIN L. See EVANS, GUSTUS, and SIMPSON, 569

HARRISON, M. CORNWELL. See GRAESER and HARRISON, 245
HARROP, GEORGE A., SOFFER, LOUIS J., ELLSWORTH, READ, and TRESCHER, JOHN H. Studies on the suprarenal cortex. III. Plasma electrolytes and electrolyte excretion during suprarenal insufficiency in the dog, 17
—, WEINSTEIN, ALBERT, SOFFER, LOUIS J., and TRESCHER, JOHN H. Studies on the suprarenal cortex. II. Metabolism, circulation, and blood concentration during suprarenal insufficiency in the dog, 1
HARTMAN, F. W. Methods and effects of increasing the urinary constituents in the body, 649
HEIDELBERGER, MICHAEL, KENDALL, FORREST, E., and SOO HOO, CHECK M. Quantitative studies on the precipitin reaction. Antibody production in rabbits injected with an azo protein, 137
HODGE, B. E., and SWIFT, HOMER F. Varying hemolytic and constant combining capacity of streptolysins; influence on testing for antistreptolysins, 277
HUGGINS, C. B., and SAMMET, J. F. Function of the gall bladder epithelium as an osteogenic stimulus and the physiological differentiation of connective tissue, 393
HURST, E. WESTON. Studies on pseudorabies (infectious bulbar paralysis, mad itch). I. Histology of the disease, with a note on the symptomatology, 415
—. A note on the histopathology of infectious papillomatosis of rabbits. See SHOPE, 607

KENDALL, FORREST E. See HEIDELBERGER, KENDALL, and SOO HOO, 137
KHAYAT, GEORGE B. See TURNER and KHAYAT, 127

LLOYD, WRAY. See DAVIS, FROBISHER, and LLOYD, 211
LURIE, MAX B. Experimental epidemiology of tuberculosis. The effect of a primary infection on contact tuberculosis in rabbits, 305

MCCONKEY, MACK, and SMITH, DAVID T. The relation of vitamin C deficiency to intestinal tuberculosis in the guinea pig, 503
MILLER, BENJAMIN F. An immunological study of native, denatured, and reversed serum albumin, 625

MILLER, C. PHILLIP, and CASTLES, RUTH. Some observations on the specificity of bacterial allergy to certain of the *Neisseriae*, 435
MILLER, D. K. See RHOADS and MILLER, 585

NELSON, JOHN B. Studies on an uncomplicated coryza of the domestic fowl. I. The isolation of a bacillus which produces a nasal discharge, 289
—. II. The relation of the "bacillary" coryza to that produced by exudate, 297

PARKER, RAYMOND C. The races that constitute the group of common fibroblasts. II. The effect of blood serum, 97
—. III. Differences determined by origin of explant and age of donor, 401
PAUL, JOHN R., and TRASK, JAMES D. A comparative study of recently isolated human strains and a passage strain of poliomyelitis virus, 513
—. See TRASK and PAUL, 531
PITTMAN, MARGARET. The action of type-specific *Haemophilus influenzae* antiserum, 683

RAKE, GEOFFREY. Studies on meningococcus infection. V. The presence of meningococcus precipitinogens in the cerebrospinal fluid, 375
— and SCHERP, HENRY W. Studies on meningococcus infection. III. The antigenic complex of the meningococcus—a type-specific substance, 341
— and —. IV. The antigenic complex of the meningococcus—group-specific carbohydrate and protein fractions, 361
RHOADS, C. P., and MILLER, D. K. The production in dogs of chronic black tongue with anemia, 585
RIVERS, THOMAS M., SPRUNT, D. H., and BERRY, G. P. Observations on attempts to produce acute disseminated encephalomyelitis in monkeys, 39
— and WARD, S. M. Further observations on the cultivation of vaccine virus for Jennerian prophylaxis in man, 635

SABIN, ALBERT B. See GELARIE and SABIN, 237
SAMMET, J. F. See HUGGINS and SAMMET, 393
SCHERP, HENRY W. See RAKE and SCHERP, 341, 361
SHOPE, RICHARD E. Infectious papillomatosis of rabbits. With a note on the histopathology by E. Weston Hurst, 607
SIMPSON, MIRIAM E. See EVANS, GUSTUS, and SIMPSON, 569
—. See EVANS, SIMPSON, and AUSTIN, 545, 561
SMITH, DAVID T. See MCCONKEY and SMITH, 503
SMITHBURN, KENNETH C. The resistance of rabbits to tuberculosis after vaccination with partially defatted tubercle bacilli, 329
SOFFER, LOUIS J. See HARROP, SOFFER, ELLSWORTH, and TRESCHER, 17
—. See HARROP, WEINSTEIN, SOFFER, and TRESCHER, 1
SOO HOO, CHECK M. See HEIDELBERGER, KENDALL, and SOO HOO, 137
SPRUNT, D. H. See RIVERS, SPRUNT, and BERRY, 39
STILLMAN, ERNEST G., and GOODNER, KENNETH. Resistance to pneumococcus infection in rabbits following immunizing injections of heat-killed pneumococcus suspensions, 195
—. See GOODNER and STILLMAN, 183
SWIFT, HOMER F. See HODGE and SWIFT, 277

THOMAS, ROBERT M. Vaccination with heat-killed and formalinized tubercle bacilli in experimental tuberculosis, 227
TILLETT, WILLIAM S., and GARNER, R. L. The fibrinolytic activity of hemolytic streptococci, 485
TRASK, JAMES D., and PAUL, JOHN R. Neutralizing antibodies in abortive poliomyelitis, 531
—. See PAUL and TRASK, 513
TRAUB, ERICH. Cultivation of pseudorabies virus, 663
TRESCHER, JOHN H. See HARROP, SOFFER, ELLSWORTH, and TRESCHER, 17
—. See HARROP, WEINSTEIN, SOFFER, and TRESCHER, 1
TURNER, KENNETH B. Studies on the prevention of cholesterol atherosclerosis in rabbits. I. The effects of whole thyroid and of potassium iodide, 115
— and KHAYAT, GEORGE B. Studies on the prevention of cholesterol atherosclerosis in rabbits. II. The influence of thyroidectomy upon the protective action of potassium iodide, 127

VAUBEL, ERNST. The form and function of synovial cells in tissue cultures. I. Morphology of the cells under varying conditions, 63
—. II. The production of mucin, 85

WARD, S. M. See RIVERS and WARD, 635
WEBSTER, LESLIE T., and CLOW, ANNA D. Intranasal virulence of pneumococci for mice, 465
WEINSTEIN, ALBERT. See HARROP, WEINSTEIN, SOFFER, and TRESCHER, 1
WELLS, W. F. See FEEMSTER and WELLS, 385

ZIA, SAMUEL. See CASTANEDA and ZIA, 55

INDEX TO SUBJECTS

ACETYL polysaccharide of Pneumococcus Type I, isolation and properties, 731
Albumin, serum, native, denatured, and reversed, immunology, 625
Allergy, bacterial, specificity to *Neisseriae*, 435
Anemia and chronic black tongue, production in dogs, 585
Antibodies, neutralizing, in abortive poliomyelitis, 531
Antibody production after injection with azo protein, 137
Antigenic complex of meningococcus, group-specific carbohydrate fraction, 361
— — — —, group-specific protein fraction, 361
— — — — —, type-specific substance, 341
— relationship between Proteus X19 and typhus rickettsiae, explanation of Weil-Felix reaction, 55
Antipneumococcal humoral immunity in adult human beings, changes in titer, 245
Antipneumococcic serum, therapeutic mechanism on dermal pneumococcus infection, influence of nonspecific factors, 237
Antiserum, type-specific *Haemophilus influenzae*, action, 683
Antistreptolysins, testing for, influence of varying hemolytic and constant combining capacity of streptolysins, 277
Arthus phenomenon, influence of testicle extract, 451
Atherosclerosis, cholesterol, prevention, effect of potassium iodide, 115
—, —, —, effect of whole thyroid, 115
—, —, —, influence of thyroidectomy upon protective action of potassium iodide, 127
Autolysates, pneumococcus, effect upon pneumococcus dermal infection, 153
Azo protein, antibody production after injection with, 137

BACILLARY coryza and coryza produced by exudate, uncomplicated, in domestic fowl, relation, 297
Bacillus producing nasal discharge in uncomplicated coryza of domestic fowl, isolation, 289
— *tuberculosis*, heat-killed and formalinized, vaccination, in tuberculosis, 227
— —, partially defatted, resistance to tuberculosis after vaccination with, 329
Bacteria, effect, influence of testicle extract, 451
—, spreading factor, significance for bacterial invasiveness, 161
Bacterial allergy, specificity to *Neisseriae*, 435
— invasiveness, significance of spreading factor in bacteria, 161
Bacteriophage, experimental and statistical evidence of particulate nature, 385

Black tongue. *See* Tongue.
Blood, circulation during suprarenal insufficiency, 1
— concentration during suprarenal insufficiency, 1
— gains and blood losses, relative response, 707
— pigment, excess, habituation to, 707
— serum. *See* Serum.

CARBOHYDRATE fraction, group-specific, of meningococcus, 361
Cells, synovial, in tissue cultures, form and function, 63, 85
—, —, morphology under varying conditions, 63
Cerebrospinal fluid, presence of meningococcus precipitinogens, 375
Chemoimmunological studies on soluble specific substance of pneumococcus, 731
Cholesterol atherosclerosis, prevention, effect of potassium iodide, 115
— —, —, effect of whole thyroid, 115
— —, —, influence of thyroidectomy upon protective action of potassium iodide, 127
Circulation. *See* Blood, circulation.
Connective tissue. *See* Tissue.
Cortex, suprarenal, 1, 17
Coryza, bacillary, and coryza produced by exudate, in domestic fowl, relation, 297
— produced by exudate and bacillary coryza, uncomplicated, in domestic fowl, relation, 297
—, uncomplicated, of domestic fowl, 289, 297
Cultivation, monocytes, in fluid medium, 575
—, pseudorabies virus, 663
—, tissue, synovial cells, form and function, 63, 85
Cultivation, vaccine virus, for Jennerian prophylaxis in man, 635

ELECTROLYTE excretion during suprarenal insufficiency, 17
Electrolytes, plasma, during suprarenal insufficiency, 17
Encephalomyelitis, acute disseminated, attempts to produce in monkeys, 39
Endothelioma, chicken, caused by filtrable agent, transmission experiments, 253
Epidemiology, tuberculosis, 305
Epithelium, gall bladder, function as osteogenic stimulus, and physiological differentiation of connective tissue, 393
Excretion, electrolyte, during suprarenal insufficiency, 17
Extract, testicle, influence on Arthus phenomenon, 451
—, —, — — effect of bacteria, 451
—, —, — — effect of toxins, 451
—, —, — — effect of viruses, 451
—, —, — — Shwartzman phenomenon, 451
Exudate producing uncomplicated coryza and uncomplicated bacillary coryza, in domestic fowl, relation, 297

FEVER, yellow. *See* Yellow fever.
Fibrinolytic activity of hemolytic streptococci, 485
Fibroblasts, common, differences determined by origin of explant and age of donor, 401
—, —, races constituting, 97, 401
Filtrable agent, cause of chicken endothelioma, transmission experiments, 253

Filtrable agent, cause of chicken lymphomatosis, transmission experiments, 253
— —, — — chicken myelomatosis, transmission experiments, 253
Fluid, cerebrospinal, presence of meningococcus precipitinogens, 375
Formalinized and heat-killed tubercle bacilli, vaccination, in tuberculosis, 227
Fowl, domestic, uncomplicated coryza, 289, 297
— endothelioma caused by filtrable agent, transmission experiments, 253
— lymphomatosis caused by filtrable agent, transmission experiments, 253
— myelomatosis caused by filtrable agent, transmission experiments, 253

GALL bladder epithelium, function as osteogenic stimulus, and physiological differentiation of connective tissue, 393
Gonadotropic effects of hypophyseal substance increased when combined with prolan, 545
— hormone in pregnant mare's serum, concentration, 569

HAEMOPHILUS *influenzae* antiserum, type-specific, action, 683
Hemolytic capacity of streptolysins, varying, and constant combining capacity of streptolysins, influence on testing for antistreptolysins, 277
— streptococci, fibrinolytic activity, 485
Hemophilus influenzae. *See Haemophilus influenzae*.
Histology, infectious bulbar paralysis, and symptomatology, 415
—, mad itch, and symptomatology, 415
Histology, pseudorabies, and symptomatology, 415
Histopathology, papillomatosis, infectious, of rabbits, 607
Hormone, gonadotropic, in pregnant mare's serum, concentration, 569
Horse, pregnant, serum, concentration of gonadotropic hormone, 569
Humoral immunity, antipneumococcal, in adult human beings, changes in titer, 245
Hypophyseal substance giving increased gonadotropic effects when combined with prolan, 545
Hypophysis. *See* Prolan.

IMMUNITY, antipneumococcal humoral, in adult human beings, changes in titer, 245
Immunizing injections of heat-killed pneumococcus suspensions, resistance to pneumococcus infection following, 195
Immunology, native, denatured, and reversed serum albumin, 625
Intestinal tuberculosis, relation to vitamin C deficiency, 503
Intranasal virulence of pneumococci for mice, 465

JENNERIAN prophylaxis in man, cultivation of vaccine virus, 635

LYMPHOMATOSIS, chicken, caused by filtrable agent, transmission experiments, 253

MAD itch. *See* Pseudorabies. 415
Medium, fluid, cultivation of monocytes, 575
Meningococcus, antigenic complex, group-specific carbohydrate fraction, 361
—, — —, group-specific protein fraction, 361

Meningococcus, antigenic complex, type-specific substance, 341
— infection, 341, 361, 375
— precipitinogens, presence in cerebrospinal fluid, 375
Metabolism during suprarenal insufficiency, 1
Monocytes, cultivation in fluid medium, 575
Morphology, synovial cells under varying conditions, 63
Mosquitoes, stegomyia, titration of yellow fever virus in, 211
Mucin, production by synovial cells, 85
Myelomatosis, chicken, caused by filtrable agent, transmission experiments, 253

NASAL discharge produced by bacillus isolated in uncomplicated coryza of domestic fowl, 289
Neisseriae, specificity of bacterial allergy, 435
Nose, virulence, intranasal, of pneumococci for mice, 465

OSTEOGENIC stimulus as function of gall bladder epithelium, and physiological differentiation of connective tissue, 393

PAPILLOMATOSIS, infectious, of rabbits, 607
—, —, — —, histopathology, 607
Paralysis, infectious, bulbar. *See* Pseudorabies.
Physiological differentiation of connective tissue, and function of gall bladder epithelium as osteogenic stimulus, 393
Pigment, blood, excess, habituation to, 707
Pituitary body. *See* Prolan.
Plasma electrolytes during suprarenal insufficiency, 17
Pneumococci, intranasal virulence for mice, 465
Pneumococcus autolysates, effect upon pneumococcus dermal infection, 153
— dermal infection, effect of pneumococcus autolysates, 153
— — —, therapeutic mechanism of antipneumococcic serum, influence of non-specific factors, 237
— infection, evaluation of active resistance, 183
— —, resistance following immunizing injections of heat-killed pneumococcus suspensions, 195
—, soluble specific substance, chemo-immunological studies, 731
— suspensions, heat-killed, resistance to pneumococcus infection following immunizing injections, 195
— Type I, acetyl polysaccharide, isolation and properties, 731
Poliomyelitis, abortive, neutralizing antibodies, 531
— virus, recently isolated human strains and a passage strain, comparative study, 513
Polysaccharide, acetyl, of Pneumococcus Type I, isolation and properties, 731
Potassium iodide, effect on prevention of cholesterol atherosclerosis, 115
— —, protective action in prevention of cholesterol atherosclerosis, influence of thyroidectomy, 127
Precipitin reaction, 137
Precipitinogens, meningococcus, presence in cerebrospinal fluid, 375
Pregnancy, mare's serum, concentration of gonadotropic hormone, 569
Prolan, hypophyseal substance combined with, to give increased gonadotropic effects, 545
— and prolan-like substances, recognition and comparison, 561

Prolan-like substances and prolan, recognition and comparison, 561
Prophylaxis, Jennerian, in man, cultivation of vaccine virus, 635
Protein, azo, antibody production after injection with, 137
— fraction, group-specific, of meningococcus, 361
Proteus X 19 and typhus rickettsiae, antigenic relationship, explanation of Weil-Felix reaction, 55
Pseudorabies, histology and symptomatology, 415
— virus, cultivation, 663

REACTION, precipitin, 137
—, Weil-Felix, explained by antigenic relationship between Proteus X 19 and typhus rickettsiae, 55
Resistance, active, to pneumococcus infection, evaluation, 183
—, pneumococcus infection, following immunizing injections of heat-killed pneumococcus suspensions, 195
—, tuberculosis, after vaccination with partially defatted tubercle bacilli, 329
Rickettsiae, typhus, and Proteus X 19, antigenic relationship, explanation of Weil-Felix reaction, 55

SERUM albumin, native, denatured, and reversed, immunology, 625
—, antipneumococcic, therapeutic mechanism on dermal pneumococcus infection, influence of non-specific factors, 237
—, effect on races constituting common fibroblasts, 97
—, pregnant mare's, concentration of gonadotropic hormone, 569
Shwartzman phenomenon, influence of testicle extract, 451
Skin, pneumococcus infection, effect of pneumococcus autolysates, 153
—, — —, therapeutic mechanism of antipneumococcic serum, influence of non-specific factors, 237
Specific, group-, carbohydrate fraction, of meningococcus, 361
—, —, protein fraction, of meningococcus, 361
—, non-, factors, influence on therapeutic mechanism of antipneumococcic serum on dermal pneumococcus infection, 237
— soluble substance of pneumococcus, chemoimmunological studies, 731
—, type-, antigenic complex of meningococcus, 341
—, —, *Haemophilus influenzae* antiserum, action, 683
Specificity, bacterial allergy, to *Neisseriae*, 435
Stegomyia mosquitoes, titration of yellow fever virus in, 211
Streptococci, hemolytic, fibrinolytic activity, 485
Streptolysins, varying hemolytic and constant combining capacity, influence on testing for antistreptolysins, 277
Suprarenal cortex, 1, 17
— insufficiency, blood concentration during, 1
— —, circulation during, 1
— —, electrolyte excretion during, 17
— —, metabolism during, 1
— —, plasma electrolytes during, 17
Symptomatology, infectious bulbar paralysis, and histology, 415
—, mad itch, and histology, 415
—, pseudorabies, and histology, 415
Synovial cells in tissue cultures, form and function, 63, 85
— —, morphology under varying conditions, 63

TESTICLE extract, influence on Arthus phenomenon, 451
— —, — — effect of bacteria, 451
— —, — — effect of toxins, 451
— —, — — effect of viruses, 451
— —, — — Shwartzman phenomenon, 451
Therapeutic mechanism of antipneumococcic serum on dermal pneumococcus infection, influence of nonspecific factors, 237
Thyroid, whole, effect on prevention of cholesterol atherosclerosis, 115
Thyroidectomy, influence upon protective action of potassium iodide in prevention of cholesterol atherosclerosis, 127
Tissue, connective, physiological differentiation, and function of gall bladder epithelium as osteogenic stimulus, 393
— cultures, synovial cells, form and function, 63, 85
Tongue, black, chronic, with anemia, production in dogs, 585
Toxins, effect, influence of testicle extract, 451
Transmission, filtrable agent causing chicken endothelioma, 253
—, — — — chicken lymphomatosis, 253
—, — — — chicken myelomatosis, 253
Tuberculosis bacilli, heat-killed and formalinized, vaccination, in tuberculosis, 227
— bacillus, partially defatted, resistance to tuberculosis after vaccination with, 329
—, contact, effect of primary infection, 305
—, epidemiology, 305
—, intestinal, relation to vitamin C deficiency, 503
Tuberculosis, resistance, after vaccination with partially defatted tubercle bacilli, 329
—, vaccination with heat-killed and formalinized tubercle bacilli, 227
Typhus rickettsiae and Proteus X19, antigenic relationship, explanation of Weil-Felix reaction, 55

URINARY constituents in body, effects of increasing, 649
— — — —, methods of increasing, 649

VACCINATION with heat-killed and formalinized tubercle bacilli in tuberculosis, 227
— — partially defatted tubercle bacilli, resistance to tuberculosis after, 329
Vaccine virus, cultivation for Jennerian prophylaxis in man, 635
Virulence, intranasal, of pneumococci for mice, 465
Virus, poliomyelitis, recently isolated human strains and a passage strain, comparative study, 513
—, pseudorabies, cultivation, 663
—, vaccine, cultivation for Jennerian prophylaxis in man, 635
—, yellow fever, in stegomyia mosquitoes, titration, 211
Viruses, effect, influence of testicle extract, 451
Vitamin C deficiency, relation to intestinal tuberculosis, 503

WEIL-FELIX reaction, explained by antigenic relationship between Proteus X19 and typhus rickettsiae, 55

YELLOW fever virus in stegomyia mosquitoes, titration, 211